



FOODSERVICE DISPOSER CONTROL CENTERS

MODEL CC-202

Automatic Reversing Action

Doubles the Life of Disposer Grinding Elements

STAINLESS STEEL ENCLOSURE

- NEMA 4
- Waterproof construction
- 18 Ga. stainless steel
- Easy to clean and keep clean

AUTOMATIC REVERSING CONTROL

- Reverses direction of motor at each startup
- Increases cutting element life and reduces jams

REVERSING DELAY


- Disposer will not reverse while motor is in motion
- Protects motor from burn out from operator misuse

AUTOMATIC DROP OUT SYSTEM


- If a power loss occurs, control will automatically disengage power lines
- Disposer must be restarted



TYPICAL INSTALLATION DIAGRAM



Voltage/Phase Availability			
Model	Voltage	Phase	Disposer Models
CC202K-1	120V	1 Ph	SS-50 to SS-200
CC202K-2	208-240V	1 Ph	SS-50 to SS-200
CC202K-3	208-240V	3 Ph	SS-50 to SS-1000
CC202K-4	380-460V	3 Ph	SS-50 to SS-1000



3-1/4"

Our products appear on **The KCL CADalog** CD-ROM based CAD Foodservice Symbol Library. More information is available from **Kochman Consultants, Ltd.** at www.kclcad.com.



4700 21st STREET
RACINE, WI 53406
TEL: 800-845-8345
FAX: 262-554-3620

www.insinkerator.com



The Emerson logo is a trademark and a service mark of Emerson Electric Co.